

Refine Search

Search Results -

Terms	Documents
L14 and impedance\$1	3

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Monday, November 28, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=TDBD; PLUR=YES; OP=OR

<u>L15</u>	114 and impedance\$1	3	<u>L15</u>
<u>L14</u>	113 and (reduc\$5 or minimiz\$3 or control\$4 or low or stealth)	38	<u>L14</u>
<u>L13</u>	112 and (electromagnetic or em or rf or radio or radar)	60	<u>L13</u>
<u>L12</u>	(cross adj section\$1)	1575	<u>L12</u>

DB=USOC; PLUR=YES; OP=OR

<u>L11</u>	110 and (impedance adj load\$1)	141	<u>L11</u>
<u>L10</u>	19 and load\$1	2256	<u>L10</u>
<u>L9</u>	18 and impedance\$1	5513	<u>L9</u>
<u>L8</u>	17 and (reduc\$5 or minimiz\$3 or control\$4 or low or stealth)	73656	<u>L8</u>
<u>L7</u>	16 and (electromagnetic or em or rf or radio or radar)	92080	<u>L7</u>
<u>L6</u>	(cross adj section\$1)	429437	<u>L6</u>

DB=PGPB,USPT,EPAB,JPAB,DWPI; PLUR=YES; OP=OR

<u>L5</u>	14 and load\$1	41	<u>L5</u>
<u>L4</u>	13 and impedance\$1	176	<u>L4</u>

<u>L3</u>	l2 and (reduc\$5 or minimiz\$3 or control\$4 or low or stealth).ti,ab.	3329	<u>L3</u>
<u>L2</u>	(electromagnetic or em or rf or radio or radar).ti,ab. and l1	7459	<u>L2</u>
<u>L1</u>	(cross adj section\$1).ti,ab.	419588	<u>L1</u>

END OF SEARCH HISTORY

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#)

Welcome United States Patent and Trademark Office

Advanced Search

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

[Help](#)

<input type="text"/>	in All Fields	
AND	<input type="text"/>	
AND	<input type="text"/>	

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

[Help](#)

<input type="text" value="radar and cross and section and impedance"/>	
--	--

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» **Publications**☒ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference I
- ☒ IEE Conference P
- ☒ IEEE Standards

» **Other Resources** (Available)

- ☒ IEEE Books

» **Select date range**

- ☐ Search latest content up to
- ☒ From year
- to

» **Display Format**

- ☒ Citation
- ☐ Citation

» **Organize results**

- Maximum
- Display
- Sort by
- In

[Help](#) [Contact Us](#)

© Copyright 2005

Indexed by



Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((radar and cross and section and impedance)<in>metadata)"

e-mail

Your search matched **154** of **1263585** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

» Other Resources

(Available For Purchase)

Top Book Results

[Electromagnetic Anechoic Chambers](#)by Hemming, L. H.;
Hardcover, Edition: 1[Finite Antenna Arrays and FSS](#)by Munk, B. A.;
Hardcover, Edition: 1[View All 2 Result\(s\)](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

Select Article Information

View: 1-25 | [26-5](#)

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

- ☐ 1. **Reduction of the radar cross section of a moderate cylindrical structure with impedance loading**
Braga Filho, O.M.; de Faro Orlando, A.J.; Migliano, A.C.C.;
Microwave and Optoelectronics Conference, 2003. IMOC 2003. Proceedings of SBMO/IEEE MTT-S International
Volume 1, 20-23 Sept. 2003 Page(s):461 - 465 vol.1
[AbstractPlus](#) | Full Text: [PDF](#)(468 KB) IEEE CNF
- ☐ 2. **Higher order impedance boundary conditions applied to scattering by co revolution**
Hoppe, D.J.; Rahmat-Samii, Y.;
Antennas and Propagation, IEEE Transactions on
Volume 42, Issue 12, Dec. 1994 Page(s):1600 - 1611
Digital Object Identifier 10.1109/8.362814
[AbstractPlus](#) | Full Text: [PDF](#)(680 KB) IEEE JNL
- ☐ 3. **Influence of antennas on the radar cross section of camouflaged aircraft**
Wiesbeck, W.; Heidrich, E.;
Radar 92. International Conference
12-13 Oct 1992 Page(s):122 - 125
[AbstractPlus](#) | Full Text: [PDF](#)(300 KB) IEE CNF
- ☐ 4. **On the radar cross section of rods, tubes, and strips of finite conductivity**
Harrison, C., Jr.; Heinz, R.;
Antennas and Propagation, IEEE Transactions on [legacy, pre - 1988]
Volume 11, Issue 4, Jul 1963 Page(s):459 - 468
[AbstractPlus](#) | Full Text: [PDF](#)(688 KB) IEEE JNL
- ☐ 5. **Evaluation of input impedance and radar cross section of probe-fed micro elements using an accurate feed model**
Aberle, J.T.; Pozar, D.M.; Birtcher, C.R.;
Antennas and Propagation, IEEE Transactions on
Volume 39, Issue 12, Part 1, Dec. 1991 Page(s):1691 - 1696
Digital Object Identifier 10.1109/8.121589
[AbstractPlus](#) | Full Text: [PDF](#)(532 KB) IEEE JNL
- ☐ 6. **Scattering from an impedance cylinder embedded in a nonconcentric dielectric**

Parrikar, R.P.; Kishk, A.A.; Elsherbeni, A.Z.;
Southeastcon '90. Proceedings., IEEE
1-4 April 1990 Page(s):1002 - 1007 vol.3
Digital Object Identifier 10.1109/SECON.1990.117971
[AbstractPlus](#) | Full Text: [PDF](#)(264 KB) IEEE CNF

- ☐ 7. **Scattering from an impedance cylinder embedded in a nonconcentric die**
Parrikar, R.P.; Kishk, A.A.; Elsherbeni, A.Z.;
Microwaves, Antennas and Propagation, IEE Proceedings H
Volume 138, Issue 2, Apr 1991 Page(s):169 - 175
[AbstractPlus](#) | Full Text: [PDF](#)(472 KB) IEE JNL

- ☐ 8. **Reduction of radar cross section from vee wire scatterer carrying travelir**
Shalan, A.A.; Bahnacy, A.I.;
Radio Science Conference, 2001. NRSC 2001. Proceedings of the Eighteenth
Volume 1, 27-29 March 2001 Page(s):177 - 184 vol.1
Digital Object Identifier 10.1109/NRSC.2001.929202
[AbstractPlus](#) | Full Text: [PDF](#)(356 KB) IEEE CNF

- ☐ 9. **Input impedance, radiation pattern, and radar cross section of spiral ante**
FDTD
Penney, C.W.; Luebbers, R.J.;
Antennas and Propagation, IEEE Transactions on
Volume 42, Issue 9, Sept. 1994 Page(s):1328 - 1332
Digital Object Identifier 10.1109/8.318663
[AbstractPlus](#) | Full Text: [PDF](#)(448 KB) IEEE JNL

- ☐ 10. **Prediction of far-field bistatic scattering cross section using spherical, c)**
planar scanned near-field data
Inasawa, Y.; Chiba, I.; Makino, S.;
Antennas and Propagation, 2001. Eleventh International Conference on (IEE (480)
Volume 2, 17-20 April 2001 Page(s):599 - 602 vol.2
[AbstractPlus](#) | Full Text: [PDF](#)(204 KB) IEE CNF

- ☐ 11. **Reduction of radar cross section by multiple passive impedance loading:**
Hirasawa, K.;
Oceanic Engineering, IEEE Journal of
Volume 12, Issue 2, April 1987 Page(s):453 - 457
[AbstractPlus](#) | Full Text: [PDF](#)(400 KB) IEEE JNL

- ☐ 12. **Scattering by superquadric dielectric-coated cylinders using higher orde**
boundary conditions
Hoppe, D.J.; Rahmat-Samii, Y.;
Antennas and Propagation, IEEE Transactions on
Volume 40, Issue 12, Dec. 1992 Page(s):1513 - 1523
Digital Object Identifier 10.1109/8.204742
[AbstractPlus](#) | Full Text: [PDF](#)(960 KB) IEEE JNL

- ☐ 13. **High-frequency RCS of complex radar targets in real-time**
Rius, J.M.; Ferrando, M.; Jofre, L.;
Antennas and Propagation, IEEE Transactions on
Volume 41, Issue 9, Sept. 1993 Page(s):1308 - 1319
Digital Object Identifier 10.1109/8.247759
[AbstractPlus](#) | Full Text: [PDF](#)(980 KB) IEEE JNL

- ☐ 14. **RCS analysis and reduction for lossy dihedral corner reflectors**
Griesser, T.; Balanis, C.A.; Liu, K.;

Proceedings of the IEEE
Volume 77, Issue 5, May 1989 Page(s):806 - 814
Digital Object Identifier 10.1109/5.32071
[AbstractPlus](#) | Full Text: [PDF](#)(684 KB) IEEE JNL

- ☐ **15. Scattering from coated targets using a frequency-dependent, surface impedance boundary condition in FDTD**
Penney, C.W.; Luebbers, R.J.; Schuster, J.W.;
Antennas and Propagation, IEEE Transactions on
Volume 44, Issue 4, April 1996 Page(s):434 - 443
Digital Object Identifier 10.1109/8.489294
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(740 KB) IEEE JNL
- ☐ **16. On the modeling of the impedance boundary condition in the time domain**
Mohammadian, A.H.; Hall, W.F.; Shankar, V.;
Antennas and Propagation Society International Symposium, 1991. AP-S. Dig.
24-28 June 1991 Page(s):810 - 813 vol.2
Digital Object Identifier 10.1109/APS.1991.174968
[AbstractPlus](#) | Full Text: [PDF](#)(136 KB) IEEE CNF
- ☐ **17. FDTD modeling of thin impedance sheets [radar cross section calculation]**
Luebbers, R.J.; Kunz, K.;
Antennas and Propagation, IEEE Transactions on
Volume 40, Issue 3, March 1992 Page(s):349 - 351
Digital Object Identifier 10.1109/8.135481
[AbstractPlus](#) | Full Text: [PDF](#)(276 KB) IEEE JNL
- ☐ **18. Electromagnetic scattering model for a tree trunk above a tilted ground plane**
Yi-Cheng Lin; Sarabandi, K.;
Geoscience and Remote Sensing, IEEE Transactions on
Volume 33, Issue 4, July 1995 Page(s):1063 - 1070
Digital Object Identifier 10.1109/36.406692
[AbstractPlus](#) | Full Text: [PDF](#)(636 KB) IEEE JNL
- ☐ **19. Simplified analysis of coated wire antennas and scatterers**
Moore, J.; West, M.A.;
Microwaves, Antennas and Propagation, IEE Proceedings -
Volume 142, Issue 1, Feb. 1995 Page(s):14 - 18
[AbstractPlus](#) | Full Text: [PDF](#)(416 KB) IEEE JNL
- ☐ **20. Radar cross section of multilayer patch and aperture coupled patch antennas**
Hall, R.C.; Wu, D.I.;
Antennas and Propagation Society International Symposium, 1995. AP-S. Dig.
Volume 4, 18-23 June 1995 Page(s):2025 - 2028 vol.4
Digital Object Identifier 10.1109/APS.1995.530991
[AbstractPlus](#) | Full Text: [PDF](#)(164 KB) IEEE CNF
- ☐ **21. A frequency dependent FDTD surface impedance for scattering from coated targets**
Penney, C.W.; Luebbers, R.J.; Schuster, J.W.;
Antennas and Propagation Society International Symposium, 1995. AP-S. Dig.
Volume 1, 18-23 June 1995 Page(s):628 - 631 vol.1
Digital Object Identifier 10.1109/APS.1995.530097
[AbstractPlus](#) | Full Text: [PDF](#)(192 KB) IEEE CNF
- ☐ **22. The use of 'near-self' impedance elements in the MM solution for scattering from composite bodies with thin features**
Goggans, P.M.; Kishk, A.A.; Glisson, A.W.;
Antennas and Propagation Society International Symposium, 1991. AP-S. Dig.

24-28 June 1991 Page(s):1484 - 1487 vol.3
Digital Object Identifier 10.1109/APS.1991.175131
[AbstractPlus](#) | Full Text: [PDF](#)(132 KB) IEEE CNF

- ☐ **23. Microwave techniques for measurement of radar absorbing materials-a n**
Maze-Merceur, G.; Bonnefoy, J.-L.; Garat, J.; Mittra, R.;
Antennas and Propagation Society International Symposium, 1992. AP-S. 199
Conjunction with: URSI Radio Science Meeting and Nuclear EMP Meeting., IEE
18-25 July 1992 Page(s):2258 vol.4
Digital Object Identifier 10.1109/APS.1992.221408
[AbstractPlus](#) | Full Text: [PDF](#)(48 KB) IEEE CNF
- ☐ **24. RCS of broadband gap-coupled microstrip antennas**
Hanson, G.W.;
Antennas and Propagation Society International Symposium, 1993. AP-S. Digi
28 June-2 July 1993 Page(s):1454 - 1457 vol.3
Digital Object Identifier 10.1109/APS.1993.385468
[AbstractPlus](#) | Full Text: [PDF](#)(108 KB) IEEE CNF
- ☐ **25. Single-layer reactive impedance PSS**
Tennant, A.; Chambers, B.;
Antennas and Propagation, 2003. (ICAP 2003). Twelfth International Conferen
Publ. No. 491)
Volume 1, 31 March-3 April 2003 Page(s):245 - 248 vol.1
[AbstractPlus](#) | Full Text: [PDF](#)(279 KB) IEE CNF

View: 1-25 | 26-5

Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE –

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#)

Welcome United States Patent and Trademark Office

[Advanced Search](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

[? Help](#)

<input type="text"/>	in All Fields	
AND	<input type="text"/>	in All Fields
AND	<input type="text"/>	in All Fields

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

[? Help](#)

radar and cross and section and impedance and load	
---	--

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications☒ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference I
- ☒ IEE Conference P
- ☒ IEEE Standards

» Other Resources (Availab☒ IEEE Books**» Select date range**

- ☐ Search latest content u
- ☒ From year to

» Display Format☒ Citation ☐ Citatio**» Organize results**

Maximum

Display resu

Sort by

In

[Help](#) [Contact Us](#)

© Copyright 20

Indexed by
 Inspec



Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "'((radar and cross and section and impedance and load)<in>metadata)"

e-mail

Your search matched **24** of **1263585** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

» Other Resources

(Available For Purchase)

Top Book Results

[Finite Antenna Arrays and FSS](#)

by Munk, B. A.;

Hardcover, Edition: 1

[View All 1 Result\(s\)](#)

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

Select Article Information



1. Reduction of the radar cross section of a moderate cylindrical structure with impedance loading

Braga Filho, O.M.; de Faro Orlando, A.J.; Migliano, A.C.C.;
Microwave and Optoelectronics Conference, 2003. IMOC 2003. Proceedings of
SBMO/IEEE MTT-S International
Volume 1, 20-23 Sept. 2003 Page(s):461 - 465 vol.1[AbstractPlus](#) | Full Text: [PDF](#)(468 KB) IEEE CNF

2. Reduction of radar cross section from vee wire scatterer carrying traveling

Shaan, A.A.; Bahnacy, A.I.;
Radio Science Conference, 2001. NRSC 2001. Proceedings of the Eighteenth
Volume 1, 27-29 March 2001 Page(s):177 - 184 vol.1
Digital Object Identifier 10.1109/NRSC.2001.929202[AbstractPlus](#) | Full Text: [PDF](#)(356 KB) IEEE CNF

3. Influence of antennas on the radar cross section of camouflaged aircraft

Wiesbeck, W.; Heidrich, E.;
Radar 92. International Conference
12-13 Oct 1992 Page(s):122 - 125[AbstractPlus](#) | Full Text: [PDF](#)(300 KB) IEE CNF

4. RCS of broadband gap-coupled microstrip antennas

Hanson, G.W.;
Antennas and Propagation Society International Symposium, 1993. AP-S. Digest
28 June-2 July 1993 Page(s):1454 - 1457 vol.3
Digital Object Identifier 10.1109/APS.1993.385468[AbstractPlus](#) | Full Text: [PDF](#)(108 KB) IEEE CNF

5. Reduction of radar cross section by multiple passive impedance loadings

Hirasawa, K.;
Oceanic Engineering, IEEE Journal of
Volume 12, Issue 2, April 1987 Page(s):453 - 457[AbstractPlus](#) | Full Text: [PDF](#)(400 KB) IEEE JNL

6. An RCS measurement technique to extract the impedance of high-impedance and slot antennas

Azadegan, R.; Sarabandi, K.;

Antennas and Propagation Society International Symposium, 2004. IEEE
Volume 1, 20-25 June 2004 Page(s):507 - 510 Vol.1
Digital Object Identifier 10.1109/APS.2004.1329697
[AbstractPlus](#) | Full Text: [PDF](#)(293 KB) IEEE CNF

- ☐ 7. **Minimization of backscattering of a loop by impedance loading--Theory a**
Juang-Lu Lin; Kun-Mu Chen;
Antennas and Propagation, IEEE Transactions on [legacy, pre - 1988]
Volume 16, Issue 3, May 1968 Page(s):299 - 304
[AbstractPlus](#) | Full Text: [PDF](#)(440 KB) IEEE JNL
- ☐ 8. **Back-scattering cross section of a center-loaded cylindrical antenna**
Yueh-Ying Hu;
Antennas and Propagation, IEEE Transactions on [legacy, pre - 1988]
Volume 6, Issue 1, Jan 1958 Page(s):140 - 148
[AbstractPlus](#) | Full Text: [PDF](#)(664 KB) IEEE JNL
- ☐ 9. **Electromagnetic scattering from the probe-fed hemispherical dielectric re**
Chen, Z.N.; Leung, K.W.; Luk, K.M.; Yung, E.K.N.;
Antennas and Propagation Society International Symposium, 1996. AP-S. Digi
Volume 2, 21-26 July 1996 Page(s):1410 - 1413 vol.2
Digital Object Identifier 10.1109/APS.1996.549861
[AbstractPlus](#) | Full Text: [PDF](#)(148 KB) IEEE CNF
- ☐ 10. **Relationships between antennas as scatterers and as radiators**
Hansen, R.C.;
Proceedings of the IEEE
Volume 77, Issue 5, May 1989 Page(s):659 - 662
Digital Object Identifier 10.1109/5.32056
[AbstractPlus](#) | Full Text: [PDF](#)(304 KB) IEEE JNL
- ☐ 11. **Electromagnetic scattering from a monopole antenna in the presence of :
conductor**
Chen, Z.N.; Leung, K.W.; Luk, K.M.; Yung, E.K.N.;
Antennas and Propagation Society International Symposium, 1996. AP-S. Digi
Volume 3, 21-26 July 1996 Page(s):1824 - 1827 vol.3
Digital Object Identifier 10.1109/APS.1996.549958
[AbstractPlus](#) | Full Text: [PDF](#)(144 KB) IEEE CNF
- ☐ 12. **Backscattering by loaded and unloaded dihedral corners**
Corona, P.; Ferrara, G.; Gennarelli, C.;
Antennas and Propagation, IEEE Transactions on [legacy, pre - 1988]
Volume 35, Issue 10, Oct 1987 Page(s):1148 - 1153
[AbstractPlus](#) | Full Text: [PDF](#)(512 KB) IEEE JNL
- ☐ 13. **Radiation and scattering tradeoff design for conformal arrays**
Thors, B.; Josefsson, L.;
Antennas and Propagation, IEEE Transactions on
Volume 51, Issue 5, May 2003 Page(s):1069 - 1076
Digital Object Identifier 10.1109/TAP.2003.811489
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(1590 KB) IEEE JNL
- ☐ 14. **Features of advanced polarimetric RCS-antenna measurements**
Heidrich, E.; Wiesbeck, W.;
Antennas and Propagation Society International Symposium, 1989. AP-S. Digi
26-30 June 1989 Page(s):1026 - 1029 vol.2
Digital Object Identifier 10.1109/APS.1989.134874

[AbstractPlus](#) | Full Text: [PDF](#)(164 KB) IEEE CNF

- ☐ **15. A network description for antenna problems**
Gately, A.C., Jr.; Stock, D.J.R.; Cheo, B.R.-S.;
Proceedings of the IEEE
Volume 56, Issue 7, July 1968 Page(s):1181 - 1193
[AbstractPlus](#) | Full Text: [PDF](#)(1143 KB) IEEE JNL

- ☐ **16. Radiation and scattering from circular microstrip patches**
Aberle, J.T.; Pozar, D.M.;
Antennas and Propagation Society International Symposium, 1989. AP-S. Digi
26-30 June 1989 Page(s):438 - 441 vol.1
Digital Object Identifier 10.1109/APS.1989.134714
[AbstractPlus](#) | Full Text: [PDF](#)(100 KB) IEEE CNF

- ☐ **17. Radiation and scattering from a microstrip patch on a uniaxial substrate**
Pozar, D.;
Antennas and Propagation, IEEE Transactions on [legacy, pre - 1988]
Volume 35, Issue 6, Jun 1987 Page(s):613 - 621
[AbstractPlus](#) | Full Text: [PDF](#)(704 KB) IEEE JNL

- ☐ **18. Modification of Backscattering of a Sphere by Attaching Loaded Wires**
Vincent, M.; Chen, K.;
Antennas and Propagation, IEEE Transactions on [legacy, pre - 1988]
Volume 16, Issue 4, Jul 1968 Page(s):462 - 468
[AbstractPlus](#) | Full Text: [PDF](#)(520 KB) IEEE JNL

- ☐ **19. A technique for measuring antenna drive port impedance using backscat**
Mayhan, J.T.; Dion, A.R.; Simmons, A.J.;
Antennas and Propagation, IEEE Transactions on
Volume 42, Issue 4, April 1994 Page(s):526 - 533
Digital Object Identifier 10.1109/8.286221
[AbstractPlus](#) | Full Text: [PDF](#)(596 KB) IEEE JNL


- ☐ **20. A re-look at antenna in-band RCSR via load mismatching**
Schneider, R.K.;
Antennas and Propagation Society International Symposium, 1996. AP-S. Digi
Volume 2, 21-26 July 1996 Page(s):1398 - 1401 vol.2
Digital Object Identifier 10.1109/APS.1996.549858
[AbstractPlus](#) | Full Text: [PDF](#)(152 KB) IEEE CNF

- ☐ **21. Minimization of backscattering of a metallic loop by impedance loading**
Chen, K.; Lin, J.; Vincent, M.;
Antennas and Propagation, IEEE Transactions on [legacy, pre - 1988]
Volume 15, Issue 3, May 1967 Page(s):492 - 494
[AbstractPlus](#) | Full Text: [PDF](#)(256 KB) IEEE JNL

- ☐ **22. PO analysis of depolarizing trihedral corners**
Gennarelli, C.; Riccio, G.; Pelosi, G.;
Antennas and Propagation Society International Symposium, 1997. IEEE., 199
Volume 1, 13-18 July 1997 Page(s):286 - 289 vol.1
Digital Object Identifier 10.1109/APS.1997.630142
[AbstractPlus](#) | Full Text: [PDF](#)(188 KB) IEEE CNF

- ☐ **23. Save radar absorbing material by coating only around the edges of a targ
RCS**
Bhattacharyya, A.K.;

Antennas and Propagation Society International Symposium, 1989. AP-S. Digi
26-30 June 1989 Page(s):856 - 859 vol.2
Digital Object Identifier 10.1109/APS.1989.134827
[AbstractPlus](#) | Full Text: [PDF](#)(124 KB) IEEE CNF

- ☐ **24. Scattering by dielectric filled grooves using a combination of higher order boundary conditions and edge conditions**
Hoppe, D.J.; Rahmat-Samii, Y.;
Antennas and Propagation Society International Symposium, 1994. AP-S. Digi
Volume 3, 20-24 June 1994 Page(s):2246 - 2249 vol.3
Digital Object Identifier 10.1109/APS.1994.408036
[AbstractPlus](#) | Full Text: [PDF](#)(156 KB) IEEE CNF
- 

Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE –